

**Note:**

This document is a summary of the relevant Auckland Unitary Plan (Operative in Part) (AUP (OP)) chapters to assist with determining if mana whenua values can be considered in relation to a consent application under the AUP (OP).

The AUP (OP) is updated over time and updates will be made to these chapter summaries quarterly. This chapter summary reflects the AUP (OP) provisions as of June 2021. As changes may be made to the AUP (OP) more frequently than this document is updated, please refer to the AUP (OP) for the full text and provisions.

**E6. Wastewater network management****Table E6.4.1 Activity table**

Activity		Activity status
(A1)	Discharge of untreated wastewater overflows onto or into land and/or into water from a new wastewater network in urban areas (excluding wastewater treatment plants)	P
(A2)	Discharge of wastewater onto or into land and/or into water from wastewater networks by way of exfiltration	P
(A3)	Discharge of untreated wastewater overflows onto or into land and/or into water from a wastewater network in existing urban areas (excluding wastewater treatment plants) where the discharge does not comply with Standard E6.6.1 and is not otherwise provided for by another rule in Table E6.4.1	RD
(A4)	Discharge of untreated wastewater overflows onto or into land and/or into water from an existing separated wastewater network servicing existing urban areas (excluding wastewater treatment plants)	C
(A5)	Discharge of untreated wastewater overflows onto or into land and/or into water from an existing combined sewer network (excluding wastewater treatment plants)	RD
(A6)	Discharge of treated or untreated wastewater onto or into land and/or into water from a wastewater treatment plant	D
(A7)	Any other discharge of wastewater onto or into land and/or into water from a wastewater network	D

**E6.8. Assessment – restricted discretionary activities****E6.8.1. Matters of discretion**

For the discharge of untreated wastewater overflows onto or into land and/or into water from a wastewater network in existing urban areas (excluding wastewater treatment plants) where the discharge does not comply with Standard E6.6.1 and is not otherwise provided for by another rule in Table E6.4.1:

- the effects on Mana Whenua values.

For the discharge of untreated wastewater overflows onto or into land and/or into

water from an existing combined sewer network (excluding wastewater treatment plants):

- effects on Mana Whenua values.

#### **E6.8.2. Assessment criteria**

For the discharge of untreated wastewater overflows onto or into land and/or into water from a wastewater network in existing urban areas (excluding wastewater treatment plants) where the discharge does not comply with Standard E6.6.1 and is not otherwise provided for by another rule in Table E6.4.1:

- whether the effects on Mana Whenua values have been avoided, remedied or mitigated<sup>1</sup>.

For the discharge of untreated wastewater overflows onto or into land and/or into water from an existing combined sewer network (excluding wastewater treatment plants) whether the proposed best practicable option

- prevents or minimises adverse effects particularly on public health, safety and amenity, potable water supplies, Mana Whenua values, freshwater systems and coastal waters;
- progressively reduces wastewater overflows and associated adverse effects, and the priorities and timeframes for doing so, having particular regard to:
  - Mana Whenua values<sup>2</sup>.

---

<sup>1</sup> Assessment criteria E6.8.2(1)(d) trigger: E6.4.1(A3).

<sup>2</sup> Assessment criteria E6.8.2(2)(a)(i) & (iii) trigger: E6.4.1(A5)